

Name: \_\_\_\_\_ Date: \_\_\_\_\_

# AHERA Bldg Inspector Matching Quiz

1. Asbestos is a naturally occurring \_\_\_\_\_ mineral. A. hollow
2. Chrysotile fibers are curved and \_\_\_\_\_. B. containers
3. This South African mineral is considered the most difficult fiber to control. C. Response
4. Asbestos Hazard Emergency Response Act D. hazard
5. An AHERA Building Inspector's job is to Inspect, \_\_\_\_\_ and Report. E. microscopy
6. Cancer of the chest lining or stomach lining. F. Pink
7. Deterioration <10% overall or <25% localized G. miscellaneous
8. A building inspector should carry a \_\_\_\_\_ vacuum to pick up dust and debris generated from bulk sampling. H. Inhalation
9. An approved methodology from EPA for collection of statistically random bulk samples on surfacing materials is known as the \_\_\_\_\_ Book. I. Cilia
10. A \_\_\_\_\_ survey requires the inspector to do a comprehensive evaluation of asbestos content in building materials, including concealed ones. J. HEPA
11. A building owner or contractor can be cited \$250/day per violation for failing to produce the written \_\_\_\_\_. K. Amosite
12. ASHARA did not carry over the requirement for \_\_\_\_\_ in public and commercial buildings. L. surfacing
13. Asbestos in air or bulk samples is evaluated using these methods. M. TSI
14. Options for Removal, Encapsulation, Enclosure, Repair and Operations/Maintenance are referred to as AHERA \_\_\_\_\_ Actions. N. demolition
15. 3 year AHERA reinspections must be conducted by this accredited individual. O. AHERA
16. EPA and ASTM recommend using hard shell \_\_\_\_\_ when collecting bulk samples of friable suspect ACM. P. Charlemagne
17. There are a total of this many assessment categories when physically assessing friable ACM. Q. Mesothelioma

18. Typically, ACM or suspect ACM in significantly damaged condition would constitute a top priority to address because of the \_\_\_\_\_ it presents. R. DOSH
19. A half face APR with filters or cartridges carries an assigned \_\_\_\_\_ factor of 10. S. Management Planner
20. Who had the amazing fireproof table cloth? T. fibrous
21. Flooring, roofing, cement-asbestos products and construction adhesives are examples of \_\_\_\_\_ materials. U. report.
22. Pipe insulation, boiler jacketing and HVAC wrap are examples of \_\_\_\_\_. V. Inspector
23. Fireproofing, popcorn ceiling texture and troweled on-plaster are examples of \_\_\_\_\_ material W. Seven
24. The primary route of exposure to airborne asbestos fibers. X. Damaged
25. What hair-like tissue in the upper respiratory tract is most responsible for increased risk of exposure for asbestos workers that are cigarette smokers? Y. Assess
26. The agency responsible for worker safety and health in our state. Z. protection