

Name: _____

Date: _____

ASBESTOS

M T S 1 B I 2 V V E G N D N 2 P U U G F C I N D
E E I 0 P B Y O 2 T G V V M C H M 3 3 L C A 0 5
E V H D R A L R L V M N 5 O I N B T 2 B D O I V
O S A A D Y E E A F Y C B A L 1 P I N E P A I L
1 A E Y R U C S Y Y V 5 2 N I L S 2 P D S 1 2 A
2 H 0 S S D 3 P E P 5 N F 5 A C O S S P A L D T
U E H Y R R E I R R F I N I O S H C 2 F F H 0 E
L R A Y U Y N R S E F B L P O S H A T D E E Y N
U A M V I M I A M V 1 V 0 1 G N E M C 3 T L V C
N L P H E P A T O A P P M U S N C F E 0 Y B E Y
G R H C B 5 1 O O L 1 A 2 5 T F C D N M D R D D
S F I L R D C R H E C T H 0 B N I U C P A 5 N O
I D B U 1 2 I F P N B Y 3 I I Y H O A H T F N T
3 F O G D C P 2 M T S P M A A 3 V D P F A E 0 C
H Y L U P R F M S L I A S B E S T O S I S N O H
3 M E O E M S 5 1 E 3 M D E G S U N U F H 3 D R
G D S S 5 0 G V V V 5 U D E 1 I B B L N E 2 D Y
N O O A V Y 2 M H E 3 M B D M 1 T B A S E P L S
L I E S 1 H 3 5 0 L R B G I U R D F N M T U V O
1 L H M P H M 5 F R I A B L E B S H T I M T N T
S 2 P 3 0 Y E A R S Y A M L E A D F L H O H O I
L I T N T 1 2 3 5 D A Y S G L G D S D A E M V L
H T A O I I M S V S U R F A C T A N T N C B N E
1 T M L M A N O M E T E R E S E R P E N T I N E

SAFETY DATA SHEET
CHRYSTOLE
MANOMETER
2LAYERS
LUNGS
HEPA
EPA

PREVALENT LEVEL
ASBESTOSIS
AMPHIBOLE
FRIABLE
NIOSH
OSHA

ENCAPSULANT
SURFACTANT
30 YEARS
LATENCY
CILIA
GFCI

SERPENTINE
RESPIRATOR
35 DAYS
10DAYS
AHERA
DOT