

Name: \_\_\_\_\_

Date: \_\_\_\_\_

# Alarm fatigue and safety measures

S L K H E W R S I O M E D I C A L E R R O R S N  
J N E Y H G B G T Z M G P C K O M G M T M B E Q  
Y V V M X D J W S K E P K U P E F A F Q O H X C  
S L I A R E D I S F N J K W K H V A R L L N V N  
Y P I V K P C K Y H I J S I V K C O L T L H U P  
W E D U N S R D F S C C Q J W N T B A X N F V S  
R O P X O E Q N F E I G T W E C K G C K Q G V G  
E H R A I R R I S U D H P P O H D G F F U Y C G  
D O E C S A M B M G E E E D Z G N A R P R H W K  
I S V G S C J J F I M T H B P J Z V F X G R L T  
V B E E I I V H A T N U L C J P B M M Q E R U C  
O Z N E M D F V L A C E X V R J R I W T C V K T  
R Y T G M E O H S F P A W Q I R Z M A Z D L K R  
P P I Y O M E F E M E T H I O D L R O O D H S L  
E M O Q C C J L A R U C W T Q L D V R T G F Y B  
R R N H T K V N L A H W I T B R T V J Z N C L M  
A A F K N F Z U A L I N Q Q M W H Z Q R D Y Q N  
C L S R I G D R R A O D F R R H A G G M M N E S  
H A V I O D L S M M L H Z Z W P G Y Q M T E C V  
T D U A J W Q E S N U I S A N C E A L A R M S G  
L E L L K X V W A Q N Y V A J I Y M X Z C Q E T  
A B U J U O G M Y T E F A S T N E I T A P O V Z  
E S A P M A Y E K T C P D W B Q G C R T T O C X  
H Q B H A N D W A S H I N G A L I X X K F W Q Y

health care provider  
medical errors  
HAND WASHING  
side rails  
medicare  
nurse

Joint Commission  
patient safety  
false alarms  
bed alarm  
monitor

nuisance alarms  
alarm fatigue  
prevention  
MEDICINE  
doctor