


Contraceptives



Across

2. Fact: combined method. Effectiveness Rate: 99.99% effective with perfect use, 99.97% effective with typical use.
5. Fact: put on before intercourse. Failure Rate: 21 out of 100 sexually active females will get pregnant within one year.
7. Fact: MUST SAY NO. Failure Rate: 0 out of 100 sexually active females will get pregnant within one year. Most Effective.
8. Fact: must be taken every day at the same time. Failure Rate: 8 out of 100 sexually active females will get pregnant within one year.
10. Fact: used every time intercourse occurs. Failure Rate: 29 out of 100 sexually active females will get pregnant within one year.
12. Fact: worn for one week and then changed. Failure Rate: 8 out of 100 sexually active females will get pregnant within one year.
13. Fact: stays in place and prevents against pregnancy for three weeks at a time. Failure Rate: 8 out of 100 sexually active females will get pregnant within one year.

15. Fact: must be done correctly to be effective. Failure Rate: 22 out of 100 sexually active females will get pregnant within one year.
16. Fact: given by a medical profession every three months. Failure Rate: 3 out of 100 sexually active females will get pregnant within one year.
17. Fact: combined method. Effectiveness Rate: 99.3% effective with perfect use, 92.4% effective with typical use.
18. Fact: protection last three years. Failure Rate: 0.05 out of 100 sexually active females will get pregnant within one year. Highly Effective.

Down

1. Fact: put on before intercourse. Failure Rate: 15 out of 100 sexually active females will get pregnant within one year.
3. Fact: permanent. Failure Rate: 0.5 out of 100 sexually active females will get pregnant within one year. Highly Effective.
4. Fact: permanent. Failure Rate: 0.15 out of 100 sexually active females will get pregnant within one year. Highly Effective.

6. Fact: must be used with spermicide. Failure Rate: 16 out of 100 sexually active females will get pregnant within one year.
9. Fact: protection last five to ten years. Failure Rate: 0.8 out of 100 sexually active females will get pregnant within one year. Highly Effective.
11. Fact: protection last five to ten years. Failure Rate: 0.2 out of 100 sexually active females will get pregnant within one year. Highly Effective.
14. Fact: does not protect against STD's. Failure Rate: 9 out of 100 sexually active females will get pregnant within one year.