


Digestive



Across

3. Allows easy recognition of swallowing difficulties resulting from conditions such as stroke, and of anatomical abnormalities such as hiatal hernia
4. INFLAMMATION OF THE ABDOMINAL PERITONEUM
5. Chronic episodic inflammatory bowel disease
6. ABOUT 85% OF _____ ARISE FROM ADENOMATOUS POLYPS
10. Post op paralytic ileus is a common complication of abdominal surgery interventions include decompression of the bowel with an NG tube connected to wall suction, increased pt. activity and

11. ulcerative COLITIS AND cROHNS DISEASE ARE BOTH CONSIDERED TO BE

12. Inflammation of the vermiform appendix usually acute most likely occurs in ages 10-30 years

14. The mouth, teeth, stomach, esophagus, and intestines are all aprt of what system

15. STARTING AT AGE 50 FECAL TESTING FOR OCCULT BLOOD SHOULD BE DONE EVERY YEAR IS A RECOMMENDATION FOR SCREENING FOR

16. Inflammation of one or more of the diverticular sacs

Down

1. GROWS NATURALLY IN THE INTESTINAL TRACT AND HELP THE IMMUNE SYSYTEM COMBAT INFECTION

2. Confined to the mucosa and submucosa of the colon can affect segments of the entire colon depending on the staging

7. Inserted and connected to wall suction to decompress the intestine

8. Removal of the entire stomach

9. Dietary restrictions include a clear liquid diet for 1-3 days before the procedure in order to decrease the residue in the bowel, and the NPO status 8hrs after procedure

13. Pouches on the colon