

Name: _____

Date: _____

Invasive Ventilation

M O H A L R A B F P P F B F F F P O 3 A P R V C
N F A Y X A C Y P A R A M E T E R S V B E C G E
B P D B T V H R X T H S L D R H N V D Y K X R S
W I M X N C B W M O L S R D F V M I S C P S P L
B I W B R O T A L I T N E V L A C I N A H C E M
T N P D E I F I D I M U H B P E U K A L T C H S
L V E M S P R E S S U R E C O N T R O L W P U W
W A H E R U S S E R P K A E P B H N C W G G T N
N S C W E B U T L E A H C A R T O D N E P I E D
C I R I E W S D W V V E X W P D P R O H U Y E E
C V R L B T I A K O X P I C T O G I A C K R K U
O E M O H P C U I T I A 3 G H X T S R K E E E X
T V E K D S O I U B B C N A F A S I V G B L I I
Y E R L W U F B R U M O H U R I C T G F Y D S K
U N Y B U V A 3 Y C I O S E S Y B I D U K L T O
3 T A B R T H U F T U K I T R Y R G D M F 3 Y X
L I A B I L U W A X B I C D L T G S B D R T N A
E L B O 3 Y F D X Y A O T V E L Y V A D R T 3 B
V A N G L H E L W F N F U M P S C W T E F P N U
E T H F V S 3 I E T I O I G N I S R U N U C I W
L I V O U S W 3 R T F T P D H B H F D 3 Y U M O
V O L E I Y R O S F G R K I N T U B A T I O N K
A N S X K E L H L M Y T D N C A L A R M S G C I
S U L Y X L O B B I L E V E L O G X O P W A V N

mechanicalventilator
pressure control
peak pressure
intubation
humidified
PSPCSIMV
alarms

invasive ventilation
assist control
icunursing
wetcircuit
parameters
ieratio
level3

endotrachaeltube
timetriggered
extubation
drycircuit
sedation
bilevel
prvc