


# JavaScript Crossword



## Across

- 1.** is a word that is reserved by a program because the word has a special meaning.
- 4.** are most commonly used for functions, variables, constants, and classes, but can also be used for other entities such as enumerations and type definitions.
- 5.** is text or symbols used to represent the system's readiness to perform the next command.
- 6.** positive is an error in some evaluation process in which a condition tested for is mistakenly found to have been detected.
- 10.** is a specific set of ordered operations for a computer to perform.
- 15.** is a punctuation mark used to enclose information, similar to a bracket.
- 16.** in object-oriented programming (OOP) is a procedure associated with a message and an object.

**17.** is a programmer readable explanation or annotation in the source code of a computer program.

**18.** A property or characteristic of an entity.

**19.** is a programming language commonly used in web development.

**20.** is the user-defined name of a program element.

## Down

**2.** is an increasingly important concept in the scientific, societal, economic, cultural, political, military, living and virtual worlds.

**3.** is a computer program that directly executes, i.e. performs, instructions written in a programming or scripting language, without requiring them previously to have been compiled into a machine language program.

**7.** boxes are typically small, but depending on the amount of information that must be conveyed, they can sometimes be large.

**8.** is a bug in a program that causes it to operate incorrectly, but not to terminate abnormally (or crash)

**9.** is a type of procedure or routine.

**11.** is the part of a computer instruction which specifies what data is to be manipulated or operated on, while at the same time representing the data itself.

**12.** is defined as facts or figures, or information that's stored in or used by a computer

**13.** can be a variable, a data structure, a function, or a method, and as such, is a location in memory having a value and referenced by an identifier.

**14.** is a datum of integral data type, a data type that represents some range of mathematical integers.