

Name: _____ Date: _____

Match Drug Name to Common Dosage

- | | |
|--------------------------------------|----------------------------------|
| 1. Ropinirole | A. 5 mg PO daily in am and lunch |
| 2. Gabapentin | B. 12-14/8 CWP |
| 3. Modafinil | C. 2 mg patch daily |
| 4. Nuvigil | D. 3 gm PO QHS/2.5-4 hour later |
| 5. Ambien | E. 0.5 mg PO nightly |
| 6. Intermezzo | F. 0.125 mg PO after supper |
| 7. Lunesta | G. 1 SEN in am and at 7 PM |
| 8. Clonazepam | H. 12/8 CWP |
| 9. Neupro | I. 0.5 mg after supper daily |
| 10. Pramipexole | J. 10 mg PO in am and at lunch |
| 11. Dymista | K. 1.75 mg SL at 0200 am |
| 12. Fluticasone | L. 10 mg PO in am |
| 13. Astepro | M. 8-12 CWP c-flex 3 |
| 14. Bi-PAP | N. 10 mg PO nightly |
| 15. Auto Bi-PAP | O. 2 mg PO nightly |
| 16. CPAP | P. 1 SEN in am |
| 17. Auto CPAP | Q. 30 mg PO nightly |
| 18. Bi-PAP ST mode with back up rate | R. 10 CWP |
| 19. Montelukast | S. 1 SEN at 7 PM |
| 20. Adderall | T. 250 mg PO daily in am |
| 21. Methylphenidate | U. 12/8 CWP ST mode 12 bpm |
| 22. Temazepam | V. 300 mg PO nightly |
| 23. Xyrem | W. 200 mg PO in am and at lunch |