


Midwifery Knowledge 1 - revision



Across

3. Pregnant women should eat plenty of _ _ _ _ _ every day
7. what is the top of the uterus called?
9. Which organisation monitors and regulates the practice of health professionals in Australia?
15. What is the name for a worker who can provide support for Aboriginal women
16. making eye contact is a form of which type of communication
17. How many CPD points are registered midwives required to complete each year?
18. What is the name of the NSW strategic policy which links women to a coordinated network of support and health-related services in the antenatal and postnatal periods
20. the abbreviation EBL stands for?

21. A woman starts to bleed and loses the baby when she is 17 weeks gestation. What do you term this pregnancy outcome?

Down

1. Name the model of care when a woman is cared for during her pregnancy by both a midwife and GP
2. The abbreviation Hb stands for....?
4. Pregnant women should reduce their intake of _ _ _ _ _
5. The standard model of maternity care provided in the hospital system can also be referred to as....
6. A term used to describe the number of times a woman has fallen pregnant
8. The medical procedure used in prenatal diagnosis of chromosomal abnormalities in which a small amount of amniotic fluid is sampled from the amniotic sac
10. Pregnant women should avoid eating raw eggs as they may contain.....?

11. If a baby is in a cephalic presentation, flexed attitude, the denominator would be the.....?

12. A term used to describe the number of pregnancies a woman has had beyond 20 weeks gestation
13. Soft cheeses, sandwich meats, bean sprouts, pre-prepared salads and pâté might contain which bacteria
14. How many domains are there in the National Competency Standards for Midwives?
19. Which vitamin is recommend to women in the pre conception and early antenatal period to reduce the risk of spina bifida
22. There are three levels of consultation and referral according to the ACM consultation and referral guides. If a woman is determined to be category C, what must the midwife do?