


Name: \_\_\_\_\_

# National Patient Safety Goals



**Across**

3. Verification of correct patient, procedure and site marking.

9. If an invasive procedure is conducted bedside, what must be done before start of the procedure?

10. \_\_\_\_\_ is used to ensure environmental safety for suicidal patients

11. It is mandatory to ask your patient if he/she has thoughts of harming themselves in order to prevent \_\_\_\_\_.

12. This category of medication is high-alert, requires close monitoring of laboratory values, and requires patient education on the risks associated.

13. \_\_\_\_\_ or use of alcohol-based hand rubs is the single most effective way to prevent the spread of infection.

14. Identify the patient by name and \_\_\_\_\_ number.

**Down**

1. \_\_\_\_\_ is performed on admission, transfer and discharge. In addition the patient should receive a copy of the medication list and medication education.

2. \_\_\_\_\_ are used to disinfect equipment used for patients with c.diff

4. \_\_\_\_\_ must never be turned off or have their volume turned down.

5. An \_\_\_\_\_ procedure includes central line insertion, endoscopy, and intubation.

6. \_\_\_\_\_ means putting a "yes" on the correct site prior to entering the operating room.

7. Once a medication leaves your hand, it must be \_\_\_\_\_.

8. Nursing staff may have less than \_\_\_\_\_ minutes to contact the physician if a critical laboratory result was delayed in being called.