


Neuro Teaching Project



Across

2. STERILE! Infection Risk! Drains off fluid and Measures ICP. Level with Tragus and secured to pole.

4. Implanted in Abdomen. Swelling resolves and it is replaced. Risks: Infection, blood clot, DVT, Atelectasis, Ileus RT Anesthesia. Lay Flat for BP.

6. Straw to drink, small bites. Loose clothes over device. Monitor site for Infection. Assisted Cough. Fall Risk. Sponge bath. Never use device to move/turn patient.

11. Normal 10-15. S/S: Restlessness, Changes in LOC, Decrease Motor Function, Decrease Eye Mvmt, posture. NI: Avoid Cluster care, Head Midline, Neutral temp, stool softner.

12. Battle sign/Raccoon Eyes. Located at Base of Neck.

13. The higher the score the better. 15 is best, 3 is worst.

14. Osmotic Diuretic. Filtered Needle. Monitor I&O, Serum Osmolarity, Daily wt, Na, K.

Down

1. Medical Emergency! Noxious Stimuli: Bladder full, Constricting clothing, Constipation, Ingrown nail. NI: Elevated HOB. Find noxious stimuli. Hydralazine to Decrease BP.

3. S/S: LOW BP/HR/UOP/LOC/O2 & Glucose to Brain. Mottled Bruising, warm skin. TREAT: Vasopressor/Atropine.

5. Space Occupying lesion. MVA, Falls, Sports. S/S: Pupils, LOC Changes, HA, Pain, Confusion, Restlessness. Priority: ABC/Stablize spine/Vitals/Pulse/RR/GCS

7. Vaccine available. S/S: Fever, Headache, Stiff Neck. Droplet. Prophylactic Antibiotics for Family. Decrease stimuli. Cloudy CSF.

8. Virus. West Nile-Prevention is key! Window Screens, Long sleeves, Deet. No Cure. HSV 1/2: HA, Fever, Personality/Behavior changes, Altered LOC. Acyclovir.

9. Normal is Above 70. MAP-ICP=???

10. Loss of Sensation below injury. RESOLVED when reflexes return.