


# OB Chapters 18 & 19



## Across

1. Periumbilical abdominal wall defect, typically right of the normal cord insertion where bowel floats freely
3. Malformation of an organ or structure
4. Central abdominal wall defect at the umbilicus where abdominal organs are contained by a covering membrane consisting of peritoneum, wharton's jelly, and amnion
5. When one or both testis fail to descend from the abdomen into the scrotal sac
6. Abnormally formed organs
8. Absent neural tissue, spinal defects, polyhydramnios
12. Occurs when the umbilical cord inserts at the placental margin
18. Intraplacent area of hemorrhage and clot
23. Spinal defect where the meninges protrude
24. Abnormal position of fingers and toes
25. A bladder with color Doppler placed on it that shows color around both sides is indicative of what?

## Down

27. Increased orbital distance
28. Which type of Holoprosencephaly is the worst?
29. Focal dilatation of an artery
30. A malformation that is a rare anomaly of the posterior fossa that consists of a marked cystic dilatation of the fourth ventricle, agenesis of the cerebellar vermis, and elevated tentorium
31. Linear extra-embryonic tissue that projects into the amniotic cavity with no restriction of fetal movement. (Asherman's syndrome)
32. Placenta where the lobes are nearly equal in size and the cord inserts into the bridge that connects them
33. Attachment of the placental membranes to the fetal surface of the placenta

## Down

2. Placental Tissue that partially covers the internal cervical os
7. Condition characterized by multiple complex fetal anomalies and a short umbilical cord
9. A thickened placenta

## Across

10. Chorionic Villi that infiltrate up to or beyond the uterine serosa
11. Fatal condition associated with multiple congenital anomalies and absence of the umbilical cord
13. Second most common congenital malformation
14. Enlarged tongue extending beyond the alveolar ridge
15. Complete exposure of the spinal cord due to lack of fusion
16. This occurs as a result of the fetus passing through loops of cord.
17. Severely hypoplastic mandible or small chin
19. When the umbilical cord has extended through the dilated cervical canal
20. Congenital absence of one or both eyes
21. A rare congenital disorder in which there is a complete or partial absence of the corpus callosum
22. Central portion of the cerebellum between the hemispheres
26. Bending, twisting, and bulging of the umbilical cord vessels mimicking a knot in the umbilical cord