


Pharmacology: Nervous System Meds Day 2



Across

3. Clients taking a MAOI that complains of _____ stiffness, should call the MD.
6. Amitriptyline has _____ side effects.
7. Methylphenidate can help improve attention and _____.
11. The last dose of a CNS stimulant should be administered before _____ pm.
13. Chlorpromazine may cause orthostatic _____.
15. EPS that causes tongue twisting and lip smaking.
16. Foods high in _____ can cause MAOI hypertensive crisis.

17. Lithium can cause _____ thyroidism.

18. Clients taking Tricyclics should avoid CNS _____.

19. Clients taking a SNRI may complain of a _____, because of bronchitis adverse effect.

20. EPS that causes severe spasms of tongue, face, neck, or back.

Down

1. EPS that causes restlessness.

2. An early sign of Serotonin Syndrome.

4. Low levels of _____ can increase the risk of lithium toxicity.

5. Tardive dyskinesia is an _____ condition, even after discontinuing the antipsychotic.

8. _____ malignant syndrome is a serious reaction that can cause death.

9. An early sign of lithium toxicity. (hold the medication)

10. Clients taking SSRIs should report weight _____.

12. SSRIs and other antidepressants can take up to 1-4 _____ to begin working.

14. Popular drug used to treat bipolar disorder.