


Name: \_\_\_\_\_

Date: \_\_\_\_\_

# Pharmacology



## Across

6. The patient receiving this medication should decrease the intake of purines  
7. This medication may be used to relieve pain from OA or RA  
9. This medication is prescribed to induce or augment labor  
11. Clients allergic to penicillin should not take this medication  
12. This inhaled medication is used to prevent acute asthma attacks

13. This is a DMARD disease modifying anti-rheumatic drug  
14. This medication might be used postpartum for a women who delivered twins  
15. This analgesic is used for a client who has moderate to severe pain

## Down

1. This medication replaces a missing pancreatic hormone  
2. This medication is approved for epilepsy but is often used as treatment for neuralgia

3. Do not take the medication with tadalafil  
4. This medication is used for pain control and should not be combined with alcohol  
5. A decrease in hallucinations and delusions should be seen with this medication  
8. Prolonged use of this medication may cause Cushing's syndrome  
10. A client who has an interstitial infection caused by clostridium difficile is likely to receive this medication

## Word Bank

- |               |                    |                |               |
|---------------|--------------------|----------------|---------------|
| Allopurinol   | Meloxicam          | Methotrexate   | Nitroglycerin |
| Hydromorphone | Methylergonovine   | Tramadol       | Oxytocin      |
| Gabapentin    | Methylprednisolone | Piperacillin   | Vancomycin    |
| Risperidone   | Budesonide         | Insulindetemir |               |