


Port Crossword Puzzle



Across

- 3. Port needles should be changed every _____ days or sooner if sterility becomes compromised.
- 4. Linens should be changed _____ while port is accessed.
- 10. A dressing is deemed "non-occlusive" if one side comes up or _____.
- 14. Port catheters should be angled _____ from diapers.
- 15. Intermittent infusions with a central line require tubing be changed every _____ hours.
- 16. Patients with ports accessed must have daily _____ baths to prevent infection.
- 17. A sterile saline flush should be utilized to _____ port needle.

- 18. A port needs to be verified by _____ different methods prior to accessing.
- 19. Triangular, The Power Injectable Port is _____ and has three palpable bumps.
- 20. Port site needs to be scrubbed for _____ seconds and left to dry for _____ seconds prior to accessing port with 2% CHG.

Down

- 1. Tenfive The proper use of a scrub hub includes a _____second scrub and a _____second dry time.
- 2. If a port is being accessed more than q 6 hours, it is recommended that _____are started at KVO.
- 5. Ports should be _____ prior to discharge unless there is an order to leave it in and home health is following up.

- 6. At least _____ caregivers are required to change a port dressing.
- 7. A _____ should always be utilized around the port needle and below the tegaderm to help prevent infections.
- 8. Prior to de-accessing you must heparinize with five mls of _____unit heparin.
- 9. Central lines dressings should be changed every _____days and PRN.
- 11. After accessing port, _____ must be checked.
- 12. Accessed ports should be heparinized _____times a week or after infusions.
- 13. While infusing, check port site at least every _____ hours.