


Specimen Collection Competency



Across

4. Glucometers can only be cleaned with _____.
6. If obtaining a glucometer from a finger, this is an example of a _____ sample.
8. When completing a _____, verify patient using name and CSN number.
12. Glucometer _____ solutions expire in 90 days after opening.
14. Glucometer _____ expire in 180 days after opening.
17. Urine specimens should not be collected from the _____ bag when collecting a UA/UC.
18. Glucometers should be obtained immediately before _____ and not too early.

19. When obtaining any specimen, it is important to verify the _____ first.
20. When obtaining _____ other than glucometers, verify patient using name and DOB.

Down

1. _____ stool specimens can be tubed to lab.
2. To have glucometer results download into Epic, I must click _____ three times.
3. It is important to _____ document glucometer results into Epic.
5. When obtaining a hemocult, it is important to collect stool from two _____ parts of the stool.
7. When obtaining the UC, you must clean the top of the tube first with _____.

9. When the glucometer reads _____ patient, verify the ID band location and change it out.
10. Sputum specimens are best collected first thing in the _____.
11. UA/UC should not be collected from a clean _____ or hat.
13. Stool specimens for c-diff must be _____ to lab and not tubed.
15. When obtaining a UA/UC, obtain the _____ first.
16. If collecting stool for c-diff, the stool must be _____ scale of 5-7 and not formed.