

Name: _____ Date: _____

Older Adults and Patients with Special Healthcare or Functional Needs

- | | |
|---|--------------------------|
| 1. A reaction a person experiences when the person has become overwhelmed; signs include screaming, throwing objects and striking out | A. Chronic diseases |
| 2. A degree of hearing loss that is mild enough to allow the person to continue to rely on hearing for communication | B. Hospice care |
| 3. Diseases that occur gradually and continue over a long period of time | C. Bereavement care |
| 4. A symptom of Alzheimer's disease in which the person becomes increasingly restless or confused as late afternoon or evening approaches | D. Catastrophic reaction |
| 5. Care provided to families during the period of grief and mourning surrounding a death | E. Deafness |
| 6. Care provided in final months of life to a terminally ill patient | F. Sundowning |
| 7. A range of medical conditions that affect a person's mood or ability to think, feel, relate to others and function in everyday activities | G. Alzheimer's disease |
| 8. A disorder on the autism spectrum | H. Hard of Hearing |
| 9. The loss of the ability to hear from one or both ears. Can be mild, moderate, or severe and can be due to illness, medication, noise exposure, or injury | I. Asperger syndrome |
| 10. The most common type of dementia in older people, in which thought, memory and language are impaired | J. Mental illness |